

# DNA / Oxidative Damage Antibodies


ANTIBODY	HOST	CLONE	REACTIVITY*	APPLICATION**	CAT. No.	SIZE	PRICE
<b>(6-4) Photoproducts</b>	Mouse	KTM50	All species	E, W	MC-082	100 µg	\$450
<b>Acinus (C-terminus)</b>	Rabbit	Polyclonal	H	W	PC-153	100 µg	\$444
<b>Acrolein</b>	Mouse	5F6	N/A	IHC	MC-1017 MC-1018	20 µg 100 µg	\$510 \$1,435
<b>ARF6</b>	Mouse	6ARF01	H	W	MC-158	100 µg	\$489
<b>ARTS</b>	Rabbit	Polyclonal	H	W	PC-154	100 µg	\$423
<b>BrdU (Bromodeoxyuridine)</b>	Mouse	IIB5	Nonspecific	FC, IC, IHC	MC-328	1 mL	\$448
<b>BrdU</b>	Sheep	Polyclonal	Nonspecific	IHC, IP, W	PC-059	250 µg	\$395
<b>Catalase</b>	Mouse	11A1	H, M, R	WB	MC-1026	100 µL	\$410
<b>Catalase</b>	Mouse	1A1	H, M, R	E, IP	MC-1027	100 µL	\$410
<b>Chk-1 Kinase</b>	Sheep	Polyclonal	H, M, R, MK	W	PC-175	250 µg	\$310
<b>Crotonaldehyde</b>	Mouse	82D3	N/A	IHC	MC-1025	30 µg	\$991
<b>C-TAK1</b>	Sheep	Polyclonal	H	W	PC-109	250 µg	\$277
<b>DDH (Dihydrodiol Dehydrogenase)</b>	Mouse	T101	H, P	E, IHC, W	MC-983	100 µL	\$414
<b>DEDD2</b>	Rabbit	Polyclonal	H, M, R	W	PC-535	100 µg	\$373
<b>DFF40 / CAD (I18)</b>	Rabbit	Polyclonal	H, M, R	W	PC-150	100 µg	\$458
<b>DFF45 (C-terminus)</b>	Rabbit	Polyclonal	H	IP, W	PC-151	100 µg	\$423
<b>DLC1 &amp; DLC2</b>	Rat	11F7	H, M	FC, IP, W	MC-282	100 µg	\$370
<b>DLC1 (Dynein Light Chain)</b>	Rat	10D6	H, M	FC, W	MC-281	100 µg	\$370
<b>ssDNA</b>	Mouse	F7-26	All species	FC, IHC	MC-010	100 tests	\$520
<b>DNA Polymerase, beta</b>	Mouse	18S	B, H, HM, M, R, X	F, IP, W	MC-370	100 µg	\$489
<b>DNA Polymerase, epsilon</b>	Mouse	93H3A	B, H, M, MK	IP, W	MC-371	100 µg	\$489
<b>DNA-dependent Protein Kinase</b>	Mouse	25-4	H	IF, IP, W	MC-362	100 µg	\$489
<b>DNA-dependent Protein Kinase</b>	Mouse	42-psc	H	IF, IHC	MC-363	100 µg	\$635
<b>DNA-dependent Protein Kinase</b>	Mouse	Mixture	CH, H, HM, M, X	IF, IHC, IP, W	MC-365	100 µg	\$489
<b>DNA-dependent Protein Kinase</b>	Mouse	18-2	H, R	F, IF, IHC, IP, W	MC-361	100 µg	\$489
<b>DNase II (C-terminus)</b>	Rabbit	Polyclonal	H	W	PC-031	100 µg	\$458
<b>ERCC1 (Excision Repair Cross Complementing-1)</b>	Mouse	8F1	H, R	IHC, IP, W	MC-991	100 µg	\$402
<b>Exo1 (5' to 3' double strand DNA exonuclease)</b>	Mouse	266	H, M	W	MC-294	100 µg	\$489
<b>Glutaredoxin 1</b>	Mouse	28C3	H	E, IP	MC-1028	100 µL	\$410
<b>Glutathione</b>	Mouse	D8	H	E, IHC, IP, W	MC-750	100 µg	\$292
<b>Glutathione Peroxidase 1</b>	Mouse	2A10	H	IP	MC-1029	100 µL	\$410
<b>Glutathione Peroxidase 1</b>	Mouse	13B2AF	H, M, R	E, IP, W	MC-1030	100 µL	\$410
<b>Glutathione Peroxidase 4</b>	Mouse	1H11	H, M, R	E, IP	MC-1032	100 µL	\$410
<b>Glutathione Peroxidase 4</b>	Rabbit	Polyclonal	H, M, R	IHC, W	PC-567	100 µL	\$413
<b>Glutathione Reductase</b>	Mouse	2B3	H	E, IP	MC-1033	100 µL	\$410
<b>Glutathione S-Transferase π</b>	Rabbit	Polyclonal	H	IHC	PC-105	0.5 mL	\$480
<b>Glutathione S-Transferase π</b>	Mouse	USal-hGST	H, Leishmania, R	IHC, W	MC-411	100 µg	\$330
<b>Glutathione S-Transferase π, FITC-labeled</b>	Rabbit	Polyclonal	N/A	AP	PC-321 PC-322	1.0 mg 0.1 mg	\$425 \$160

ANTIBODY	HOST	CLONE	REACTIVITY*	APPLICATION**	CAT. No.	SIZE	PRICE
Glutathione S-Transferase $\pi$ , HRP-labeled	Rabbit	Polyclonal	N/A	AP	PC-323 PC-324	1.0 mg 0.1 mg	\$445 \$190
Hexanoyl-Lysine Adduct	N/A	5F12	N/A	E, IHC, W	MC-1022	20 $\mu$ g	\$399
4-Hydroxy-2-Hexenal	Mouse	HHE53	N/A	IHC	MC-1021	30 $\mu$ g	\$795
8-Hydroxy-2'-Deoxyguanosine	Mouse	N45.1	N/A	E, IHC	MC-1013 MC-1014	20 $\mu$ g 100 $\mu$ g	\$399 \$1,325
7-Ketocholesterol	Mouse	35A	N/A	IHC	MC-1015 MC-1016	20 $\mu$ g 100 $\mu$ g	\$710 \$1,887
Ku (p70 / p80)	Mouse	162	H, M, MK, R, X	FC, IF, IHC	MC-256	500 $\mu$ L	\$459
Ku, 70 kDa subunit	Mouse	N3H10	H, HM, M, MK, X	IF, IHC, IP, W	MC-351	100 $\mu$ g	\$458
Ku, 80 kDa subunit	Mouse	111	H, MK	FC, IF, IP, W	MC-355	100 $\mu$ g	\$458
Malondialdehyde	Mouse	1F83	N/A	IHC	MC-1023	30 $\mu$ g	\$710
Methionine Sulfoxide Reductase A	Mouse	5B5	H, R	IP, IHC	MC-1034	100 $\mu$ L	\$410
Methionine Sulfoxide Reductase A	Rabbit	Polyclonal	M, R	W	PC-568	100 $\mu$ L	\$410
Methionine Sulfoxide Reductase B	Rabbit	Polyclonal	H, M, R	W	PC-569	100 $\mu$ L	\$413
Methylglyoxal	Mouse	3C	N/A	IHC	MC-1024	30 $\mu$ g	\$710
MGMT (O <sub>6</sub> -Methylguanine-DNA Methyltransferase)	Mouse	MT3.1	H	FC, IHC, W	MC-380	100 $\mu$ g	\$490
Mismatch Repair Protein 2	Mouse	2MSH01	H	IHC	MC-308	500 $\mu$ L	\$432
Myeloperoxidase (MPO)	Mouse	8F4	M, R	E, FC, IHC	MC-194	1 mL	\$895
Myeloperoxidase (MPO)	Mouse	1A1	H	E, IP	MC-1035	100 $\mu$ L	\$410
Nitric Oxide Synthase-1	Mouse	NOS-125	H	IHC	MC-129	1 mL	\$673
Nitrotyrosine	Mouse	39B6	Nonspecific	E, IHC, IP, W	MC-374	50 $\mu$ g	\$220
4-Hydroxy-2-Nonenal	Mouse	HNEJ-2	N/A	IHC, W	MC-1019 MC-1020	20 $\mu$ g 100 $\mu$ g	\$327 \$1,070
PARP-3	Mouse	LA6B10	H, M	IC	MC-375	100 $\mu$ L	\$460
PARP-5 (Tankyrase)	Mouse	19A449	H	W	MC-293	100 $\mu$ g	\$370
Peroxiredoxin II	Rabbit	Polyclonal	H, HM, M, R	IHC, W	PC-453	100 $\mu$ L	\$475
Peroxiredoxin 3	Mouse	12B	H, M	E, IC, IHC, W	MC-1036	100 $\mu$ L	\$410
Peroxiredoxin 4	Rabbit	Polyclonal	H, M	IP, IHC, W	PC-570	100 $\mu$ L	\$413
Peroxiredoxin 5	Mouse	3F11	H	E, IC, IP, W	MC-1037	100 $\mu$ L	\$410
Peroxiredoxin 5	Rabbit	Polyclonal	H, M, R	IHC, W	PC-571	100 $\mu$ L	\$410
Peroxiredoxin 6	Mouse	1A11	H	E, IC, IP, W	MC-1038	100 $\mu$ L	\$410
Peroxiredoxin 6	Rabbit	Polyclonal	H, M, R	IP, IHC, W	PC-572	100 $\mu$ L	\$413
Proliferating Cell Nuclear Antigen (PCNA)	Mouse	PC10	H, Insect, M, R, Yeast	FC, IHC, IP, W	MC-700	100 $\mu$ g	\$454
RAD51	Mouse	51RAD01	H, M, R	IHC, IP, W	MC-157	100 $\mu$ g	\$500
RPA / p34 (Replication Protein A)	Mouse	$\alpha$ SSB34A	H	IP, W	MC-312	100 $\mu$ g	\$511
RPA / p70 (Replication Protein A)	Mouse	$\alpha$ SSB70C	H	IP, W	MC-306	100 $\mu$ g	\$489
SAP-Kinase, JNK, c-jun	Mouse	Polyclonal	H, R	IP	PC-076	250 $\mu$ g	\$277
Selenoprotein M	Mouse	10C1	H	E, IP, W	MC-1039	100 $\mu$ L	\$410
SPT16 (Intermediate Domain)	Rabbit	Polyclonal	H, M	IP, W	PC-202	100 $\mu$ g	\$310

\* Reactivity: B=bovine, CH=chicken, F=functional, H=human, HM=hamster, M=mouse, MK=monkey, P=pig, R=rat, RB=rabbit, X=Xenopus

\*\* Application: AP=affinity purification, E=ELISA, GS=gel supershift assay, IC=immunocytochemistry, IF=immunofluorescence, IHC=immunohistochemistry, IP=immunoprecipitation, FC=flow cytometry, RIA=radioimmunoassay, W=western blot

For *in vitro* research use only. Not for use in humans.



ANTIBODY	HOST	CLONE	REACTIVITY*	APPLICATION**	CAT. No.	SIZE	PRICE
SPT16 (N-terminus)	Rabbit	Polyclonal	H, M	W	PC-203	100 µg	\$310
SSRP1, full length	Rabbit	Polyclonal	H, M	IP, W	PC-204	100 µg	\$310
SSRP1 (N-terminus)	Rabbit	Polyclonal	H, M	IP, W	PC-205	100 µg	\$310
Superoxide Dismutase 1	Rabbit	Polyclonal	H, M, R	IHC, IP, W	PC-573	100 µL	\$410
Superoxide Dismutase 2	Rabbit	Polyclonal	H, M, R	IP, W	PC-574	100 µL	\$410
Superoxide Dismutase 3	Mouse	1H12	H	E, IHC, IP, W	MC-1040	100 µL	\$410
Superoxide Dismutase 4	Mouse	2A1	H	E, IP	MC-1041	100 µL	\$410
Superoxide Dismutase (Cu/Zn)	Mouse	30F11	H	IHC, W	MC-139	1 mL	\$647
Syk	Mouse	SYK-01	H, M, R	IHC, IP, W	MC-890	100 µg	\$527
Thioredoxin 1	Mouse	3A1	H	E, IHC, IP, W	MC-1042	100 µL	\$410
Thioredoxin 2	Mouse	4C5	H, M, R	IP	MC-1043	100 µL	\$410
Thioredoxin Reductase 1	Mouse	19A1	H	E, IP, W	MC-1044	100 µL	\$410
Thioredoxin Reductase 2	Mouse	25B3	H	E, IP	MC-1045	100 µL	\$410
Thioredoxin Reductase 2	Rabbit	Polyclonal	H, M, R	W	PC-577	100 µL	\$410
Thymidylate Synthase	Mouse	TS 106	H	FC, IF, IP, W	MC-307	100 µg	\$489
Thymine Dimer	Mouse	KTM53	All Species	Blots, IF, IHC	MC-062	100 µg	\$450
Thymine Dimer, HRP-labeled	Mouse	KTM53	All Species	Blots, IF, IHC	MC-068	10 µg	\$450
XPA	Mouse	12F5	H	IHC, W	MC-340	100 µg	\$489
XPF (Nucleotide Excision Repair Protein)	Mouse	219	H	IHC, W	MC-154	100 µg	\$489
XRCC1	Mouse	33-2-5	H, R	IHC, IP, W	MC-343	100 µg	\$531

\* Reactivity: B=bovine, CH=chicken, F=functional, H=human, HM=hamster, M=mouse, MK=monkey, P=pig, R=rat, RB=rabbit, X=Xenopus

\*\* Application: AP=affinity purification, E=ELISA, GS=gel supershift assay, IC=immunocytochemistry, IF=immunofluorescence, IHC=immunohistochemistry, IP=immunoprecipitation, FC=flow cytometry, RIA=radioimmunoassay, W=western blot

For *in vitro* research use only. Not for use in humans.